

Journal of Range Management

Index, Volume 52, 1999

A

- Abernethy, Rollin H., 290
Achnatherum hymenoides, 646
 ADF, 132
 Adams, Don C., 317
 Adams, Theodore E., 51
 Adler, Peter B., 471
Aeneolamia albofasciata, 621
 Aerial films and solar angles: Influences
 on silver sagebrush inventory, 32
 Aerial photography, 32
 Afforestation, 525
 Agriculture, 332, 420
Agropyron cristatum, 19, 60
 Agustina, Rochman, 290
 Air photo, 32
 specifications, 32
 Alkaloids, 378
 Alpine climate, 174
 Alston, Diana G., 621
Amblyomma americanum, 139
 Ammonium, 615
 Andes, 471
 Angell, Ray, 27
 Animal and plant response on renovated
 pastures in western Canada, 19
 Annual grass, 258
 Annual net primary productivity, 151
Antilocapra americana, 363
Aphthona nigriscutis, 489
Artemisia, 550
 tridentata, 363
Artemisia tridentata ssp. *wyomingensis*,
 384
 Asiatic wild ass, 500
 Assessing grazing impacts by remote
 sensing in hyper-arid environments,
 500
 Average daily gain, 120, 651
 Avian species, 420

B

- Bai, Yuguang, 270, 384, 387, 534
 Bailey, Derek W., 575
 Bakken, Morten, 2
 Ballard, Warren B., 202, 302
 Banner, Roger E., 621
 Baram, Hagit, 590

- Barroso, F. G., 431
 Basal cover, 651
 Bassett, Scott D., 546
 Bastian, Chris T., 104
 Bear, 2
 Beck, K. George, 351
 Beef
 cattle, 275, 590, 651
 cows, 113
 Behavior, 2, 312, 575
 Bélanger, Luc, 332
 Bellaiche, Michel, 436
 Ben-Moshe, Ezra, 436
 Benz, Lani J., 351
 Berg, William A., 583
 Bergan, James F., 539
 Bidlack, James E., 661
 Big game, 167
 Big sagebrush, 363
 Biological and economic tradeoffs, 104
 Biological inertia, 525
 Biomass nutrient, 606
 Biondini, Mario E., 454
 Birds, 332
 Birkenfeld, Alan H., 7
 Bison use of fire-managed remnant
 prairies, 454
 Blank, Robert R., 92
 Body condition score, 560
 Bomke, Arthur A., 671
 Bonner, Jeffrey P., 45
 Bontti, Eliana E., 370
 Boo, Roberto M., 370
 Book Reviews, 99, 199, 197, 394, 543,
 678
 Booth, D. Terrance, 270, 290, 384, 387,
 534
 Bootstrapping, 519
 Borana pastoralists, 209
 Boren, Jon C., 420
 Bork, Edward W., 151, 249
 Botanical composition of cattle and viz-
 cacha diets in central Argentina, 370
Bothriochloa, 583
Bouteloua gracilis, 637
 Bowns, James E., 462
 Boza, J., 431
 Britton, Carlton, 569
 Broersma, Klaas, 671
Bromus inermis, 19, 60
Bromus japonicus, 339

- Bromus riparius*, 60
Bromus tectorum, 68, 188
 Browse consumption, 275
 Brummer, J. E., 357
 Brush management, 569
 Buffelgrass, 145
 Buffer strips, 600
 Bulk density, 671

C

- Caatinga vegetation dynamics under
 various grazing intensities by steers in
 the semi-arid Northeast, Brazil, 241
Calamovilfa longifolia, 228, 447
 Calving month, 560
Canis latrans, 398
 Canopy analysis as a technique to char-
 acterize defoliation intensity on
 Sandhills range, 357
Capra, 161
 Carbon dioxide flux, 27
Carex aquatilis, 283
 Carlson, Joanne M., 637
 Carnivores, 312
 Casamassima, Donato, 327
 Catchments, 302
 Cattle, 2, 202, 671
 grazing, 378, 637
 nutrition, 209
 Cattle grazing and avian communities of
 the St. Lawrence River Islands, 332
 Cattle use affects forage quality in a
 montane riparian ecosystem, 283
Cenchrus ciliaris, 621
Centaurea maculosa, 68, 482, 626
 Central Nevada riparian areas: Physical
 and chemical properties of meadow
 soils, 92
 Central Oregon, 525
Ceratoides, 271, 290
Ceratoides lanata (Pursh) J. T. Howell,
 387
Cervus elaphus, 363
 Chamber design for measuring net CO₂
 exchange on rangeland, A, 27
 Chambers, Jeanne C., 92
 Clark, Richard T., 317
 Clary, Warren P., 218, 283
 Climate, 413, 651

Clipping
 date, 228
 frequency, 339
 intensity, 339
 Clipping effects on growth dynamics of
 Japanese brome, 339
 Common grazing, 462
 Compensatory growth, 209
 Complementary forages, 583
 Conditioned aversion to minimize
 Ferula communis intake by orphaned
 lambs, 436
 Conditioned food aversion, 436
 Consumption of low larkspur
 (*Delphinium nuttallianum*) by cattle,
 378
 Continuous stocking, 120
 Controlled environment, 339
 Conway, Warren C., 539
 Coping strategies, 7
 Coppock, D. Layne, 7, 208
 Corley, Carin J., 600
 Cornelius, Paul L., 508
 Cotton, Ann C., 104
 Cox, Jerry R., 621
 Coyote, 398
 Creque, Jeffrey A., 546
 Crested wheatgrass, 236
 Criner, Tania, 420
 Crist, Thomas O., 637
 Cross, B. T., 666
 Crown depth, 181
 Crude protein, 132, 228
 Cullan, Andrew P., 447
 Cully, Jack F., Jr., 139
 Cultural control, 351
 Cunningham, Stan C., 202
 Cutting height, 228

D

Day, Phyllis A., 75
 De Albuquerque, Severino G., 241
 Deer damage to alfalfa and mixtures
 with timothy or orchardgrass, 515
 Defoliation time and intensity of wall
 barley in the Mediterranean rangeland,
 258
Delphinium nuttallianum, 127
 Demography, 188
 Depredation, 312
 Desertification, 413
 Detling, James K., 263
 Devos, James C., Jr., 302
 Dewald, Chester L., 583, 661
 Diet

composition, 370
 quality, 327
 selection, 39, 202, 378, 508
 Diet selection of mountain lions in
 southeastern Arizona, 202
 Digestibility, 161, 661
 Digitgrass, 145
 Distribution, 575
 Disturbance area, 637
 Diversity of the herbaceous layer in
 mixed bushveld, 519
 Doescher, Paul S., 187
Dolichos lablab L., 45
 Domestic livestock, 398
 Dörgeleh, Werner G., 519
 Double-sampling, 494
 Dougherty, Charles T., 508
 Dowhower, S. L., 666
 Drought and grazing: I. Effects on quan-
 tity of forage produced, 440
 Dual grazing, 462

E

Early summer grazing effects on defoli-
 ation and tiller demography of prairie
 sandreed, 447
 Eastern gamagrass, 583
 Ecological site, 546
 Economic efficiency, 104
 Economics, 515
 Economics of maintaining cow condi-
 tion on fescue prairie in winter, 113
 Economics of redberry juniper control
 in the Texas Rolling Plains, 569
 Ecosystem
 classification, 92
 condition, 92
 Ecotype, 188
 Eddleman, Lee E., 187
 Edge, 45
 Edwards Plateau, 161
 Effects of management on species
 dynamics of Canadian aspen parkland
 pastures, 60
 Efficiency, 651
 Egber, Anat, 436
 Elia, Omar R., 370
 Elk, 174, 363
 El-Shatnawi, Moh'd Khair, 258
Elytrigia intermedia, 68
 Embryo, 271
 Emmerich, William E., 606
 Engle, David M., 420
 Enhancing intermediate wheatgrass
 establishment in spotted knapweed

infested rangeland, 68
 Enrichment ratios, 606
 Ereifej, Khalil I., 258
 Erosion, 413
 Ethiopia, 209
 Ethridge, Don, 569
 Euphorbia esula, 39, 489
 Eurotia, 290
Eurotia lanata (Pursh) Moq., 387
 Evidence of cell deterioration in winter-
 fat seeds during refrigerated storage,
 290
 Exotic plant control, 539

F

Factors influencing crown placement of
 oats (*Avena sativa* L.), 181
 Fahnestock, Jace T., 263
 Farstvedt, Jerry, 166
 Fat reserves, 560
 Feed costs, 560
 Feeding value, 75
 Fellows, David P., 489
 Fent, Livio, 32
 Fernald, A. G., 615
 Fertilizing, 60
Festuca scabrella var. *campetris*, 113
Festuca viridula, 174
 Film resolution, 32
 Filtration, 600
 Fire, 454
 Fire history and western juniper
 encroachment in sagebrush steppe,
 550
 First limiting nutrient for summer calv-
 ing cows grazing autumn-winter
 range, 317
 Fisheries, 218
 Flaccidgrass, 145
 Flea beetles, 489
 Flooded prairies, 332
 Foliage tilt angle, 357
 Forage, 661
 digestibility, 317
 intake, 317
 quality, 583
 Forage quality of 10 Eastern gamagrass
 (*Tripsacum dactyloides* (L.) L.) geno-
 types, 661
 Forbs, 346
 Forest grazing, 671
 Foy, J. K., 666
 Frasier, Gary W., 600
 Free ranging cattle, 370
 Freeze, Brian S., 113

Frequency, 241
Fulbright, Timothy E., 45, 346

G

GIS, 546
Gain per hectare, 651
Gamagrass, 661
Ganskopp, Dave 166
Gardner, Dale R., 378
Geographic information systems, 51
George, Melvin R., 51
Gerbolini, Alfonso, 569
Germination, 534
 percentage, 384
 rate, 384
Gese, Eric M., 398
Ghosh, Hani Z., 258
Gillen, Robert L., 120, 583, 651
Glyphosate, 68
Goats, 431
Goats locomotion energy expenditure
 under range grazing conditions:
 Seasonal variation, 431
Gonzalez-Hernandez, M.P., 132
Goodwin, Jay R., 187
Goonewardene, Laksiri, A., 75
Grass defoliation intensity, frequency,
 and season effects on spotted knap-
 weed invasion, 626
Grass density, 519
Grazing, 151, 174, 431, 575
 behavior, 508
 effects, 471
 management, 327, 413, 590, 626
 method, 120, 462
 patterns, 454
 permitted, 7
 pressure, 447
 system, 60, 241, 462
Grazing steer fecal output dynamics on
 south Texas shrubland, 275
Great Pyrenees, 2, 312
Greco, Steven E., 51
Group size effects on grazing behaviour
 and efficiency in sheep, 327
Gustavson, Carl R., 202
Gutman, Mario, 590
Guzzlers, 302

H

Habitat, 139, 167
 improvement, 346
Haferkamp, M. R., 339, 440

Hall, Frederick C., 633
Hall, John W., 127
Hall, Marvin H., 515
Hamilton, Robert G., 454
Hansen, Inger, 2, 312
Hardegree, Stuart P., 83, 384
Heat production, 431
Heavy stocking and early-season defer-
 ment of grazing on Mediterranean-
 type grassland, 590
Heitschmidt, R. K., 440
Herbaceous stratum, 241
Herbage
 allowance, 275
 consumption, 590
 density, 508
 dynamics, 157
Herbicide/fertilizer interaction, 482
Herbivory, 151
Hild, A. L., 440
Hobby ranching, 7
Hodges, Mark E., 120
Hofmann, L., 235
Holman, Thomas L., 228
Holzer, Zvi, 590
Hordeum murinum L. clipping, 258
Horses, 2
Hou, J. Q., 387
Humidification, 384
Hurst, Rex L., 462
Huston, J.E., 161
Hydrologic cycle, 413

I

Ibarra-F, F., 621
Idaho fescue, 626
Imbibition, 290
Imbibition damage, 534
Imbibition temperature affects on
 seedling vigor: In crops and shrubs,
 534
Imbibition temperature affects winterfat
 (*Eurotia lanata* (Pursh) Moq.) seed
 hydration and cold-hardiness
 response, 271
Imbibition weight loss, 534
Indicators, 249
Influence of environmental factors and
 sheep grazing on an Andean grass-
 land, 471
Ingestive behavior, 508
Insect life-cycle, 621
Intake, 327
Intake of ashe juniper and live oak by
 angora goats, 161

Intake of cattle offered normal and
 lodged tall fescue swards, 508
Integrated pest management, 139
Integrated weed management, 351, 482
Interaction, 181
Interpretation, 32
Intrapopulation genetic variation for
 seed dormancy in Indian ricegrass,
 646
Invasion, 188
Invited Synthesis Paper: Coyote depre-
 dation control: An interface between
 biology and management, 398
In vitro digestibility, 132
In vitro dry matter digestibility, 228,
 283
IPM, 351
Is supplementation justified to compen-
 sate pastoral calves for milk restric-
 tion?, 208
Ixodidae, 139

J

Jacobs, James S., 68, 482, 626
Jaeger, Michael M., 398
Javelina, 202
Johnson, Phillip, 569
Jones, R.M., 145
Jones, T. A., 646
Jordan, 258
Juniperus ashei, 161
Juniperus occidentalis, 550

K

Karges, Brock R., 120
Karl, M. G., 339, 440
Karn, J.F., 235
Karnieli, Arnon, 500
Kleingrass, 145
Klopfenstein, Terry J., 317
Knapp, Paul A., 525
Knowlton, Frederick F., 398
Koch, David W., 351
Kothmann, M.M., 161
Krascheninnikovia, 271, 290
Krascheninnikovia lanata (Gueldenstaedt),
 387
Kronberg, Scott L., 39
Krzic, Maja, 671
Kuntz, David E., 174

L

- LAI, 494
- Lablab, 45
- Lachica, M., 431
- Land use change effects on breeding bird community composition, 420
- Landau, Serge Y., 436
- Landscape ecology, 546
 - structure, 420
- Landscape vegetation structure, 546
- Land-use history, 525
- Lardy, Gregory P., 317
- Leaf area index, 357
- Leaf area, visual obstruction, and standing crop relationships on Sandhills rangeland, 494
- Leaf internodes, 181
- Lefkovitch, Leonard P., 19, 60
- Leininger, Wayne C., 283
- LI-COR LAI-2000, 357
- Light, 181
- Lignin, 132, 661
- Lindstrom, Lilia I., 370
- Livestock, 167, 332
 - management, 218
 - performance, 462, 583
- Livestock-guarding dogs in Norway: Part I. Interactions, 2
- Livestock-guarding dogs in Norway Part II: Different working regimes, 312
- Livestock response to multispecies and deferred-rotation grazing on forested rangeland, 462
- Locomotion, 431
- Lone star tick abundance, fire, and bison grazing in tallgrass prairie, 139
- Long-term grazing, 249
- Lovegrass, 145
- Lupinus latifolius*, 174
- Lyons, Robert K., 275
- Lysimetry, 615

M

- Maintaining plant diversity, 482
- Majak, Walter, 127
- Malecheck, John C., 621
- Management, 398
- Martin-R, Martha, 621
- Masters, Ronald E., 420
- Max, Timothy, 633
- May, Gary J., 560
- McCartney, Duane H., 19, 60
- McCollum, F. Ted, III, 120

- Medicago sativa*, 19, 60
- Mesocotyl, 181
- Mesquite rangeland, 666
- Microhistology, 370
- Miller, Richard F., 550
- Miller-Goodman, M. S., 357
- Mitochondria, 290
- Mixed prairie, 454, 651
- Mixed species grazing, 462
- Model, 83
- Modification of cattle grazing distribution with dehydrated molasses supplement, 575
- Moisture stress, 127
- Moore, Kenneth J., 228
- Morales, Juan Manuel, 471
- Moser, L. E., 357
- Mountain meadow, 218
- Mule deer, 202, 363
- Multi-period integer programming, 560
- Muscio, Antonio, 327

N

- Native pastures, 241
- Native rangelands, 236 Newman, Reg F., 671
- Newton, Wesley E., 489
- Nielson, D. C., 646
- Nitrate, 615
- Nitrogen, 161, 263, 283
- Nitrogen and phosphorus in runoff from 2 montane riparian communities, Technical Note, 600
- Nitrogen dynamics in stream and soil waters, 615
- Non-point source pollution, 600
- Northern Great Plains, 489
- Noxious weeds, 39
- Noy-Meir, Imanuel, 590
- Nutrient
 - balance, 600
 - composition, 75
- Nutrient dynamics of rangeland burns in Southeastern Arizona, 606
- Nutritional attributes of understory plants known as components of deer diets, 132

O

- Odocoileus hemionus*, 363
- Odocoileus virginianus* Raf., 346
- Odocoileus virginianus* Zimm., 45
- Okine, Erasmus K., 75

- Old world bluestem, 145, 583
- Olson, Kenneth C., 462
- Opportunity costs related to feral horses: A Wyoming case study, 104
- Optimal re-treatment interval, 569
- Ordination, 471
- Organic carbon, 666
- Oryzopsis hymenoides*, 646

P

- Painter, Kara, 166
- Palatability, 39
- Palmer, Michael W., 420
- Palmquist, Debra E., 83
- Pastoralism, 471
- Pasture, 332
 - management, 19
- Patches, 346
- Percentage dry weight, 519
- Perevolotsky, Avi, 436
- Pericarp removal has little effect on sagebrush seeds, Technical Note, 384
- Persistence of Idaho fescue on degraded sagebrush-steppe, 187
- Pfister, James A., 378
- Phenylalanine ammonia lyase, 661
- Phillips, Rebecca L., 283
- Phosphorous, 283
- Photosynthesis, 27
- Picard, Martin, 332
- Pierson, Frederick B., 83
- Pinyon-juniper woodland, 546
- Planeleaf willow, 283
- Plant
 - canopy analysis, 494
 - community, 637
 - ecology, 471
 - height, 258
- Plant phenology and productivity, 621
- Plant response to defoliation and resource supplementation in the Pryor Mountains, 263
- Plant response to defoliation in a sub-alpine green fescue community, 174
- Plant responses to pocket-gopher disturbances across pastures and topography, 637
- Plant, Richard E., 51
- Plant succession, 346
- Planting depth, 181
- Poa pratensis*, 19
- Poisonous plants, 127, 378, 436
- Post-germination growth, 534
- Prairie grasses, 75
- Predation, 2, 398

Predictability, 249
 Predicting variable-temperature response of non-dormant seeds from constant-temperature germination data, 83
 Prescribed burning, 569
 Prescribed fire effects on biological control of leafy spurge, 489
 President's Address: On Management, 102
 Prey availability, 202
 Price, Kevin P., 249
 Prieto, C., 431
 Primary production, 263, 440, 590
 Pronghorn, 363
 Protein, 661
Psathyrostachys juncea, 19, 60
Pseudoroegneria spicata, 263
 Private grazing permittees, 7
 Pryor Mountains, 263
 Pryor Mountain Wild Horse Range, 263
 Puberty, 209
Puma concolor, 202
Purshia tridentata, 167

Q

Qualitative spatial model of hardwood rangeland state-and-transition dynamics, A, 51
 Quality, 661
 Quebec, 332
Quereus virginiana, 161

R

Ranching, 7
 Range
 science education, 157
 site, 454, 546
 use, 157
 Rangeland and steer responses to grazing in the Southern Plains, 651
 Rangeland cover component quantification using broad (TM) and narrow-band (1.4NM) spectrometry, 249
 Rangeland weed control, 351
 Rate, 83
 Recinos-Diaz, Guillermo, 75
 Reclaiming Russian knapweed infested rangeland, 351
 Reece, Patrick E., 228, 447, 494
 Reece, P. E., 357
 Reindeer, 2
 Reintroduction, 500

Relative costs and feeding strategies associated with winter/spring calving, 560
 Resource allocation, 104
 Respiration, 27
 Response of white-tailed deer foods to discing in a semiarid habitat, 346
 Responses of winterfat seeds and seedlings to desiccation, 387
 Restoration, 188, 387, 539
 Revegetation, 68
 Riddle, R.R., 161
 Ries, R.E., 181, 235
 Riparian, 218
 area, 615
 shrubs, 633
 Rode, Lyle, 113
 Romo, J.T., 270, 387
 Roos, Eric E., 384
 Rose, Jeferey A., 550
 Rosenstock, Steven S., 302
 Rotational stocking, 120
 Rowen, Mary, 500
 Rumen degradable protein, 317

S

Sagebrush, 27
 semi-desert, 546
 steppe, 249
 Sagebrush response to ungulate browsing in Yellowstone, 363
Salix planifolia, 283
 Salmonid, 218
 Saltz, David, 500
 Sanderson, M.A., 145
Sapium sebiferum, 539
 Satellite, 500
 Scarnecchia, David L., 157
 Schacht, Walter H., 447, 494
 Schmidt, Heike, 500
 Schmidt, Iris, 500
 Seasonal cattle management in 3 to 5 year old bitterbrush stands, 166
 Seasonal environments, 209
 Seasonality, 236
 Season-long grazing of seeded cool-season pastures in the Northern Great Plains, 235
 Secondary production, 590
 Sediment nutrient, 606
 Seed, 83, 258
 aging, 290
 germination, 188, 387
 hydration, 387
 polymorphism, 646

 testing, 534
 Seeded ecology, 387
 Seeding, 60
 Seedling
 establishment, 68
 growth, 188
 Seligman, No'am G., 590
 Semiarid area, 370
 Semi-arid environments, 346
 Sequence grazing systems on the southern plains, 583
 Sevi, Agostino, 327
 Shannag, Hail K., 258
 Sharrow, Steven H., 174
 Sheep, 2, 312
 Sheep grazing, 436
 Sheep preference for leafy spurge from Idaho and North Dakota, 39
 Sheley, Roger L., 68, 482, 626
 Sherwood, Harrie W., 363
 Shlosberg, Alan, 436
 Shoot, 258
 Shortgrass steppe, 637
 Shrub, 167
 Shrubs and trees, 241
 Silva-Pando, F.J., 132
 Simpson's index, 519
 Sims, Phillip L., 583, 651
 Simulation models, 51
 Skip-row planting, 45
 Smith, E. Lamar, 102
 Smith, Freeman M., 600
 Smith, Loren M., 539
 Smith, Martin E., 312
 Smith, Michael A., 104, 560
 Smooth brome grass, 236
 Socioeconomic diversity, 7
 Soil, 666
 morphology, 92
 nutrient, 606
 penetration resistance, 671
 quality, 92
 water, 440
 Soil carbon and nitrogen changes following root-plowing of rangeland, 666
 Soil compaction of forest plantations in interior British Columbia, 671
 Soil moisture influences low larkspur and death camas alkaloid levels, 127
 Somlo, R., 431
 Sonoran Desert, 621
 Sosebee, Ronald E., 539
 Soule, Peter T., 525
 Southern Great Plains, 666
 Southern Texas, 45
 Sovani, Sandro, 208
 Spain, 132

Spatial use of warm-season food plots
by white-tailed deer, 45
Species composition, 440, 519
Species
density, 519
diversity, 519
richness, 218
Spectral sensitivity, 32
Spittlebug and buffelgrass responses to
summer fires in Mexico, 621
Spotted knapweed, forb, and grass
response to 2,4-D and N-fertilizer, 482
Spring and fall burn, 606
Standing crop, 440
Stednick, John D., 615
Steuter, Allen A., 454
Stipa hymenoides, 646
Stocker cattle response to grazing man-
agement in tallgrass prairie, 120
Stocking rate, 120, 241, 447
Stocktanks, 302
Stout, Robert C., 515
Strangers, 2
Stream channel and vegetation respons-
es to late spring cattle grazing, 218
Streambank stability, 218
Streamflow, 615
Stuth, Jerry W., 275
Succession, 550
Suleiman, Abdullatif, 75
Supplement, 575
Supplementation, 317
Surface runoff nutrient, 606
Sustainability, 7
Svejcar, Tony, 27, 166
Sward surface height, 508

T

Tallgrass prairie, 454
Taylor, C.A., Jr., 161
Taylor, Charles A., Jr., 413
Taylor, E. M., Jr., 600
Taylor, Fred, 166
Teague, W. R., 666
Technology transfer, 7
Temperature, 181
Test of observer variability in measuring
riparian shrub twig length, Technical
Note, 633
Thomomys talpoides, 637
Threshold water content, 271
Thurow, Thomas L., 413
Tillage, 68
Tiller demographics, 228
Tiller recruitment and mortality, 447

Tinajas, 302
Total above-ground biomass, 494
Total nonstructural carbohydrate trends,
539
Total nonstructural carbohydrate trends
in Chinese tallow roots, 539
Trampling, 590
Tripsacum, 583
Tripsacum dactyloids, 661
Trlica, M. J., 283, 600
Tropical woodlands, 241
Twig browsing, 633
Twig measurement, 633

U

Ueckert, Darrell, 569
Undegraded intake protein, 317
Urbanization, 420
Use of livestock and range management
practices in Utah, 7
Utilization, 151, 575

V

Van Ryswyk, A.L., 127
Van Tassell, Larry W., 104, 560
Van Vactor, Steven S., 83
Vaughan, Joe E., 661
Vayssières, Marc P., 51
Vegetation
cover, 500
cover type, 420
dynamics, 51

Velagala, Rajendra P., 68
Viewpoint: Benefits and impacts of
wildlife water developments, 302
Viewpoint: Delineating ecological sites,
546
Viewpoint: Implications of spatial vari-
ability for estimating forage use, 151
Viewpoint: The range utilization con-
cept, allocation arrays, and range man-
agement science, 157
Viewpoint: The role of drought in range
management, 413
Vigor, 290
Voigt, P., 145
Volesky, Jerry D., 494

W

Waddington, John, 19, 60
Waggoner, James W., 560

Walker, John W., 39, 249
Waller, S. S., 357
Wambolt, Carl L., 363
Ward, David, 500
Water quality, 600, 615
Water requirements, 302
Water sedge, 283
Water stress, 384
Water tables, 92
Waterfowl, 332
Watering frequency, 209
Watershed geology, 92
Weed invasion, 626
Weeds, 258
Welling, G. Robert, 575
Werner, Scott J., 151
West, Neil E., 249, 546
Western juniper expansion on adjacent
disturbed and near relict sites, 525
Western wheatgrass, 236
White-tailed deer, 202, 515
Whitson, Thomas D., 351
Width/depth ratio, 218
Wiedmeier, Randall D., 462
Wild horses, 263
Wildlife, 104, 167
management, 302
Willms, Walter D., 113
Willow, 218
Winter
grazing, 113
range, 167, 363
Woodland, 550

Y

Yaremicio, Barry, 75
Yield, 75, 228
Yield and feeding of prairie grasses in
east-central Alberta, 75
Yield and quality of warm-season grass-
es in central Texas, 145

Z

Zigadenus venenosus, 127
Zobel, Donald B., 187

